





Material:			Surface:		
Units: mm	Projection method:		General tolerances: ± 0.2 Hole position: ± 0.1 Angle, straightness and flatness: DS/ISO 2768-H		
			Sheet: 1 of 3	Drawing size: A2	
			Designed by	ksc	12-01-2016
			Approved by	NJS	12-01-2016
ISIC A/S, Edwin Rahrs Vej 54, DK-8220 Brabrand. Tlf.: +45 70207077. Web: www.isic.dk			ECO		
Subject:			Scale:	Drawing no.	Rev.
Mechanical outline 19" DuraMON LED SB15 DuraMon LED 19 Integrated			1:3	05537-001	A
				Replaces:	
This document contains proprietary information and is not to be used or reproduced without the written permission of ISIC A/S					



The monitor can in the practical tilt all the way around

Material:		Surface:	
Units: mm	Projection method:	Sheet: 2 of 3	
		Designed by	ksc
		Approved by	NJS
		ECO	
		Scale:	Drawing no.
		1:3	05537-001
		Replaces:	
		Rev.	
		A	

Parts List			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	05869-001	DuraMONLED 19 Stand

Material: ISK A/S, Edwin Rahrs Vej 54, DK-8220 Brabrand. Tlf.: +45 70207077. Web: www.isk.dk

Subject: Mechanical outline 19" DuraMON LED SB15 DuraMon LED 19 Bracket kit

This document contains proprietary information and is not to be used or reproduced without the written permission of ISK A/S

